Fxbirλ: Batch:

type 1 (BoHV-1) Contains thiomersal inactivated Bovine herpesvirus Vaccine for cattle containing



RESTRICTED VETERINARY MEDICINE KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY

Biobos IBR MARKER VACCINE



Vaccine for cattle containing inactivated Bovine herpesvirus type 1 (BoHV-1). Contains thiomersal

Net Contents 100mL (50 doses)





184/K/100ml/NZ/1

WARNING

May cause an allergic skin reaction. Suspected of causing cancer.

Handling precautions:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear gloves when handling. Wash exposed skin thoroughly after handling. Avoid breathing mist or spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

Store locked up. First Aid:

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs, or if exposed or concerned: get medical advice or attention.

For advice call the National Poisons Centre 0800 POISON (0800 764 766)

Disposal:

Any unused product or empty containers should be disposed of at an approved landfill or other approved facility.

Registered in NZ pursuant to the ACVM Act 1997, No. A11239.

See www.foodsafety.govt.nz for registration conditions.

Manufactured in Europe by Bioveta, a.s., 683 23 Ivanovice na Hané, Czech Republic www.bioveta.cz



RESTRICTED VETERINARY MEDICINE KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY

Biobos IBR MARKER VACCINE



Vaccine for cattle containing inactivated Bovine herpesvirus type 1 (BoHV-1). Contains thiomersal

Net Contents 100mL (50 doses)

READ LABEL AND LEAFLET BEFORE USE Indications

For active immunisation of cattle to reduce intensity and duration of the clinical symptoms caused by infection with the Bovine herpesvirus type-1 (IBR) virus and to reduce excretion of the field virus.

Directions for use

Shake well before use.

CATTLE: Administer 2 mL, by intramuscular injection into the anterior

half of the neck. Initial vaccination should be given at three months of age or older to avoid interference by maternal antibodies. Give booster vaccination three weeks after first (sensitiser) vaccination.

Withholding Period - Nil

Store between 2 - 8°C. Do not freeze. Use within 28 days of opening. Protect from light.

Registered in New Zealand to:

AgriHealth NZ Ltd www.agrihealth.co.nz



Dimensions (mm): 56×56×108

Colours: CMYK



| | Pč.: | minimum spacefor reprint batch and expiration | 15×6 mm | ANO NE | místo pro dotisk je umístěno na největší (nejstabilnější) ploše krabičky | ANO NE | vyjímku schválil: | |
|------------|------|--|---------|---------------------|---|--------------|-------------------|--|
| | | Dimensions (mm): Colours: | | | 56×56×108 CMYK | | | |
| Dodavatel: | | Prepared by: Date: | | Raška 9. 3. 2016 | | Approved by: | | |
| | | Date. | | | 9. 0. 2010 | | Date: | |