

**Warning: Keep out of the reach of children
FOR ANIMAL TREATMENT ONLY**

DIB-h

Intravaginal Insert containing 0.5 gram progesterone per insert

Net Contents

10 Intravaginal Inserts

Each insert contains 0.5 gram progesterone

SYNTEX LOGO



Teresa Robinson

18 MAY 2016

**Teresa Robinson
Acting Manager
Appointments & Approvals**

DIB-h is an intravaginal progesterone release insert for controlled breeding in cattle

Each DIB-h contains 0.5 grams progesterone in an inert silicone elastomer

INDICATIONS:

- Treatment of post-partum anoestrus (non-cycling) cows
- Control of the oestrous cycle in maiden heifers and cows
- To enable synchronisation for:
 - o concentrated artificial insemination (AI)
 - o embryo collection and transfer programs


DOSE:

One DIB-h per animal

TREATMENT PROGRAMS


DIB-h is recommended for use in conjunction with Gonasyn (A10642) and Cyclase (A10490) in DIB-CoSynch programs, and also Novormon eCG (A10641) in DIB-Synch Plus programs.

The following program is recommended for non-cycling (anoestrous) cows.



Use of Novormon eCG in the program is optional. However, including this product in the program significantly improves pregnancy rates.

The following program is recommended for synchrony of cows and heifers.



Reproductive treatment and oestrus synchrony programs may be modified according to veterinary advice.



18 MAY 2016

Contraindications:

Not suitable for use in animals with abnormal vaginas. Animals in poor condition resulting from illness or nutritional stress may not respond

DIRECTIONS FOR USE

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

Insertion

1. Wear rubber gloves when handling inserts
2. Wash the applicator in a non-irritating antiseptic solution and dip the front portion in veterinary obstetrical lubricant to assist ease of insertion
3. Place the insert into the applicator so that the wings are folded and the tips are protruding from the front of the applicator
4. Dip the front of the applicator into veterinary obstetrical lubricant
5. Lift the cow's tail and wipe the vulva clean
6. With tail lifted insert the loaded device, sloping it slightly upwards, through the vulva and then forward, into the forward portion of the vagina.
NB. Do not insert into overly small animals when application discomfort is evident.
7. Release the device from the applicator and then remove the applicator
8. Approx 10cm of the tail of the device should be visibly protruding from the vulva
9. Ideally mark each treated animal to easily identify for removal of the insert at DIB-Synch program completion

Removal:

Remove by gently, but firmly, pulling on the protruding tail of the insert. If no tail is obvious, conduct a vaginal examination of the cow to check for the insert (then remove).

Disposal:

Used inserts and packaging should be burnt in an appropriate incinerator, buried in an approved landfill, or disposed of by approved methods.

Withholding Period:

Meat: nil

Milk: nil

Remove inserts before slaughter

Presentation

Bag containing 10 intravaginal inserts with tails

Store at room temperature, out of reach of children

DIB-h is registered pursuant to the ACVM Act 1997, No A10832

See www.foodsafety.govt.nz for registration conditions

[AgriHealth logo]

Registered to AgriHealth NZ Limited, New Zealand www.agrihealth.co.nz

Manufactured in Argentina, by Syntex SA www.syntexar.com

Batch No/Manufacture Date/Expiry Date: See bag



18 MAY 2016

