



Date of preparation: 30 June 2020

# SAFETY DATA SHEET

# Toltrox

## Section 1: Identification of the Substance and Supplier

Product Name:	Toltrox
ACVM Registration Number:	A11401
Pack sizes:	1L, 5L
Recommended Use:	For the treatment and prevention of coccidiosis in cattle up to 9 months caused by <i>Eimeria bovis</i> or <i>Eimeria zuernii</i> .
Company Details:	AgriHealth NZ Ltd 89 Grafton Road, Grafton, Auckland 1010, New Zealand Phone: +64 9 215 1199 Fax: +64 9 984 9455 Website: www.agrihealth.co.nz
Emergency Telephone:	National Poisons Centre: 0800 764 766 (0800 POISON) Fire Service, Ambulance: Dial 111

# Section 2: Hazards Identification

Classified as a hazardous substance according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

**Toltrox** is approved pursuant to the HSNO Act 1996, **HSR100757** and **HSR 100758**. The EPA website www.epa.govt.nz should be consulted for the full list of triggered controls and cited regulations.

Hazard Classifications:	6.8B	Reproductive toxicant
	6.9B	Repeated dose toxin
	9.1B	Aquatic ecotoxin
Signal word:	WARN	ling

Page 1 of 7

Hazard statements:	Suspected of damaging fertility or the unborn child
	May cause damage to organs through prolonged or repeated exposure
	Toxic to aquatic life with long lasting effects
Precautionary statements:	Obtain special instructions before use
	Do not handle until all safety precautions have been read and understood
	Wear gloves when handling.
	Wash exposed skin thoroughly after handling
	Store locked up
	Avoid release to the environment
	Collect spillage
	If exposed or concerned: Get medical advice or attention
	Get medical advice or attention if you feel unwell
	For advice call the National Poisons Centre 0800 POISON (0800 764 766)

# Section 3: Composition / Information on Ingredients

#### **Product Components:**

Name	CAS Number	Concentration
Toltrazuril	69004-03-1	5%
Sodium benzoate	532-32-1	< 0.25%
Sodium propionate	137-40-6	< 0.25%
Sodium lauryl-sulphate	151-21-3	0.5%
Non-hazardous components	N/A	94%

N/A = not applicable or not available

# Section 4: First Aid Measures

First Aid Measures:	For advice contact the National Poisons Centre on 0800 POISON (0800 764 766) or a doctor, immediately.
	Skin Contact: May cause irritation. If skin contact occurs remove contaminated clothing and wash skin with soap and water. If skin irritation, rash or symptoms occur or persist, consult a doctor.

Page 2 of 7

	<u>Eyes</u> : May cause irritation. If eye contact occurs, flush eyes with water. If wearing contact lenses, remove only after initial rinse and continue rinsing eyes for at least 15 minutes. If irritation occurs or persists, consult a doctor.
	Ingestion: If swallowed seek medical attention. DO NOT induce vomiting.
Workplace Facilities:	No special facilities are required.
Required Instructions:	Wear protective gloves, clothing and eye protection. Contaminated work clothing should not be allowed out of the work place. Wash contaminated clothing before reuse.

Notes for Medical Personnel: Treat exposed patients symptomatically.

#### **Section 5: Fire Fighting Measures**

Type of hazard:	Non-flammable
Fire Hazard Properties:	This material is assumed to be combustible. When heated to decomposition carbon oxides, nitrogen oxides, Sulphur oxides, hydrogen sulphide, hydrogen fluoride or other toxic fumes may be emitted.
Extinguishing Media and Methods:	Water spray, dry powder, carbon dioxide, or foam
Hazchem Code:	N/A
Recommended Protective Clothing	: Wear full protective clothing and self-contained breathing apparatus (SCBA)

#### Section 6: Accidental Release Measures

Emergency Procedures:Wear suitable protective clothing including eye protection.<br/>Restrict access to contaminated area. Prevent further<br/>spillage, and prevent spilled material from flowing onto<br/>adjacent land or into waterways. Retrieve intact<br/>containers from site. Place damaged containers into<br/>containment devices. Place the spillage including sponges<br/>into sealable containers for disposal. Avoid contamination<br/>of water courses or sewers. Dispose of waste safely.

#### Section 7: Handling and Storage

**Precautions for Safe Handling:** Wear protective gloves, clothing, eye and face protection Avoid contact with skin and eyes.

Page 3 of 7

Regulatory Requirements:	An emergency response plan is required when stored in quantities of 1000L or greater. Secondary containment is required when stored in quantities of 1000L or greater. Signage is required when stored in quantities of 1000L or greater.
Handling Practices:	Avoid skin contact. Wash hands and exposed skin before meals and after use. Do not eat, drink or smoke while using.
Approved Handlers:	Not required
Conditions for Safe Storage:	Store below 25°C. Store in the original container, away from direct heat or direct sunlight. Keep out of reach of children. Store locked up so that unauthorised persons do not have access.
Packaging:	Store in original container, away from foodstuffs.

## Section 8: Exposure Control / Personal Protection

Workplace Exposure Standards:	None set
Application in the Workplace:	Prevent exposure by using engineering controls, personal protective equipment and work practices that prevent contact with skin and eyes.
Evposuro Standardo autoido tha	

# Exposure Standards outside the Workplace:

None set

**Personal Protection:** Wear protective gloves, eye safety glasses and protective clothing and face protection. Do not eat, drink or smoke when using this product. Wash hands with soap and water before breaks and after work. Keep away from foodstuffs and beverages.

#### **Section 9: Physical and Chemical Properties**

**Product Properties:** 

Appearance:

White to yellowish suspension

# Section 10: Stability and Reactivity

Stability of the Substance:	Stable under normal conditions of use and storage
Conditions to Avoid:	Avoid extremes of heat and light
Hazardous Decomposition Properties: hydrogen sulphide, hydrogen fluoride or oth	Carbon oxides, nitrogen oxides, Sulphur oxides, ner toxic fumes may be emitted.

Hazardous Polymerisation: Does not occur

Page 4 of 7

#### Section 11: Toxicological Information

**HSNO Classification:** 

6.8B, 6.9B

#### Acute toxicity (toltrazuril):

Species	Sex	Route	LD <sub>50</sub>
Rat	М	Oral	2200 mg/kg bw
Rat	F	Oral	1740 - 3375 mg/kg bw
Chicken		Oral	700 mg/kg bw
Rat		Inhalation	> 158 mg/m <sup>3</sup> 4 hour
Rat		Dermal	> 5000 mg/kg bw

Skin irritation:	Not classified as irritant however may cause irritation.
Eye irritation:	Not classified as irritant however may cause irritation.

#### Chronic toxicity (toltrazuril):

Target organ effects:	Rat 3 month oral toxicity study: At highest dose (16.6mg/kg/day) weight gain and food intake were decreased. Slight effects were seen in haematological parameters and disturbances in liver function. Dog 3 month oral toxicity study: At highest dose (12.5 mg/kg/day) showed increased heart weight but no histological changes or circulatory disturbance. Mean weight of testes and prostate were decreased.
Reproduction:	Rat 2 generation study: increase in stillborn pups at highest dose (5mg/kg/day). Rat teratogenicity studies: Teratogenicity and embryotoxicity see at the highest dose (30mg/kg/day) such as dysplasia of long bones, hydrops, cleft palate, micropthalmia. Reduction in number of live foetuses.
Mutagenicity:	Not considered to be mutagenetic
Carcinogenicity:	Not considered to be carcinogenic in humans

# Section 12: Environmental Information

HSNO Classification: 9.1B

No data is available for the formulated product. The following information relates to toltrazuril.

Page 5 of 7

Toxicity:	Daphnia magna 48-hour EC <sub>50</sub> : > 2 mg/L			
	Rainbow trout ( <i>Oncorhynchys mykiss</i> ) 96-hour LC <sub>50</sub> : 0.44 mg/L			
	Green algae (Desmodesmus subcapitas) 72-hour LC <sub>50</sub> : >0.39 mg/L			
Earthworm (Annelid sp.) 52 mg/L				
Persistance and degradabilit	y: Metabolite of toltrazuril is persistant and mobile.			
	T <sup>1</sup> / <sub>2</sub> : >1 year. Avoid run-off to soil.			
Bioaccumulative potential:	Toltrazuril Log POW 4.18 @ 23°C			

#### **Section 13: Disposal Considerations**

**Disposal Information:** Preferably dispose of the product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Avoid contamination of any water supply with product or empty container.

#### **Section 14: Transport Information**

Land Transport	Not classified as dangerous goods for transport under NZ Standard 5433:2007 Transport of Dangerous Goods on Land.
Air Transport	Not classified as dangerous goods for transport under International Civil Aviation Organisation and International Air Transport Association regulations
Sea Transport	Not classified as dangerous goods for transport under International Maritime Organisation regulations
UN Number	N/A
Proper Shipping Name	N/A
DG Class	N/A
Subsidiary Risk	N/A
Packing Group	N/A
HAZCHEM Code	N/A
Marine Pollutant	No

There is no restriction of this substance allowed for carriage on public service vehicles.

#### **Section 15: Regulatory Information**

Regulatory Status:	Registered pursuant to the ACVM Act 1997, No A11401 See www.foodsafety.govt.nz for registration conditions
HSNO and ACVM Controls:	Refer to section 2
List Exposure Limits:	None set

An SDS must be provided whenever **1L** of Toltrox is sold or supplied.

An emergency response plan, secondary containment and signage are required when stored in quantities of 1000L or greater.

#### **Section 16: Other Information**

Additional Information: For product information see the AgriHealth website: www.agrihealth.co.nz

Date of preparation:30 June 2020Due for revision within 5 years.

The SDS summarises, at the date of issue, AgriHealth's best knowledge of the health and safety hazard information. Although reasonable care has been taken in the preparation of this document, AgriHealth NZ Ltd extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequence of its use. AgriHealth NZ Ltd urges the recipient of this SDS to study it carefully to become aware of, and understand, the hazards associated with the product as well as determine the suitability of the information for the intended purpose.

Page 7 of 7