

Hostazym[®] X MICROGRANULATE

Inclusion Rate 50 g/ton ENZYME FEED ADDITIVE

PRODUCT DESCRIPTION

An enzyme preparation of endo-1,4-beta-xylanase (EC 3.2.1.8) produced by *Trichoderma sp.* having a minimum activity of 30,000 EPU/q.

RECOMMENDED INCLUSION RATE

For use in monogastric animal feed rich in non-starch polysaccharides.

The recommended doses are as follows:

Species or category of animal	Units of activity per kg of complete feed		Recommended
	Minimum activity per kg of complete feed	Maximal activity per kg of complete feed	inclusion rate of Hostazym® X, g/ton of feed
Chickens for fattening	1500 EPU	-	50
Turkeys for fattening	1050 EPU	-	35

Laying hens	1500 EPU	-	50
Piglets	1500 EPU	-	50
Pigs for fattening	1500 EPU	-	50

DIRECTIONS FOR USE

To guarantee stability for a minimum of 24 months, Hostazym[®] X must be stored unopened in the original packaging in a dry place at room temperature.

Temperatures above 85°C during pelleting may reduce the enzymatic activity. **OPERATOR WARNINGS**

May cause sensitisation by inhalation. Do not inhale dust. Wear personal protective devices such as a particle filter mask, rubber gloves, safety glasses and protective clothing while handling the product.

Batch:

Mfg. date:

Exp. date:

Net weight 20 kg Gross weight 20.5 kg





MANUFACTURER
HUVEPHARMA EOOD
www.huvepharma.com
DISTRUBUTOR
AgriHealth NZ Limited
www.agrihealth.co.nz



