

WARNING Keep Out Of Reach of Children For Animal Treatment Only

Yumamycin 1% microGranulate

Contains: 10g/kg maduramycin ammonium Net weight: 25 kg
For use only in broiler chicken feeds for the prevention and control of coccidiosis caused by Eimeria acervulina,

E. brunetti, E. maxima, E. mivati, E. necatrix and E. tenella.

Directions for use

Read label before use.

By law the user must take due care, obtaining expert advice if necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

Thoroughly mix Yumamycin 1% microGranulate into the feed at a rate of 500g/tonne of feed, to obtain a concentration of 5g/T maduramycin ammonium in the finished feed.

Feeds containing Yumamycin should be the only ration fed to broilers to avoid dilution of the active ingredient.

Withholding Periods:

It is an offence for users of this product to cause residues exceeding the relative MRL in the Food Notice: Maximum **Residue Levels for Agricultural Compounds.**

Meat: Nil Eggs: Nil

Contradictions

Do not treat animals with feed supplemented with Yumamycin 1% microGranulate while receiving, or for at least SEVEN days before or after receiving feed containing tiamulin.

Do not administer to horses or other equines.

Warning: Causes mild skin irritation and may cause allergic skin reaction. Causes serious eye irritation. May cause damage to organs through prolonged, repeated exposure.

Precautions: Wash thoroughly after handling. Do no breathe dust. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, and eye and face protection. Do not drink, eat or smoke when using this product.

Storage: Store locked up. Store in dry place below 25°C.

Disposal: Shake and empty containers into medicated feed. Do not dispose of undiluted chemicals on site. Puncture or shred and bury empty container below 500 mm in disposal pit specifically marked and set up for the purpose, clear of waterways, vegetation and roots. Empty bag and left-over product should not be burned.

First Aid: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs seek medical attention or advice. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists seek medical attention or advice. IF INHALED: Removed to fresh air and keep at rest in a position comfortable for breathing. IF EXPOSED or you feel unwell: contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

Registered pursuant to the ACVM Act 1997, No A011189. See www.foodsafety.govt.nz for registration conditions.

Registered to and distributed by AgriHealth NZ Ltd.



Expiry: LB2287v2Yum1mp25-NZ0217