JVEPHARMA<sup>®</sup>



## Feed Additive premix Gut flora enhancing probiotic

## COMPOSITION

Preparation of Bacillus licheniformis containing a minimum of 3.2x10<sup>9</sup> viable spores (CFU, Colony Forming Units) per gram, and calcium carbonate as carrier.

## **ÚSAGE**

Used as a direct fed microbial for poultry (broilers, turkeys, and layers) and pigs intended to provide a source of live, naturally occurring microorganisms ensuring stimulation of weight gain and improvement of feed conversion efficiency. An aid in the control of necrotic enteritis in broiler chickens.

B-Act® is intended as a stabilized source of Bacillus licheniformis only.

## DIRECTIONS FOR USE

By law the user must take due care, obtaining expert advice where necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

For gastointestinal health: To be used orally after fully mixing with compound feed of poultry and pigs at the rate of 500 g per ton of finished feed.

For necrotic enteritis: Add to compound feed of broilers at the rate of 2kg per ton of finished feed. Recommended for use in diets of poultry and pigs during all phases of growth and development of animals.

MIXING INSTRUCTIONS

LB1706v5-B-Act-fa-20-NZ1124

None

DANGER

WITHDRAWAL PERIOD

May cause allergy or asthma symptoms or breathing difficulty if inhaled. HANDLING PRECAUTIONS:

on stages in the following order: up to 10 kg feed; up to 100 kg feed; and up to 1000 kg feed.

Avoid breathing dust. In case of inadequate ventilation, wear respiratory protection. FIRST AID: IF INHALED: remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms, call the National Poisons Centre 0800 764 766 or a doctor. DISPOSAL: Preferably dispose of product by use. Shake empty bag into medicated feed. Dispose of unused product

In order to ensure uniform homogenization with feed, it is recommended to mix the prescribed quantity of the product

and empty packaging at an approved landfill or other facility. STORAGE CONDITIONS

Store the product in a cold and dry place at temperatures up to 30°C.

Manufactured in Europe by

Huvepharma EOOD, www.huvepharma.com

Registered pursuant to the ACVM Act 1997, No. A11376 See www.foodsafety.govt.nz for registration conditions. Registered in NZ to AgriHealth NZ Ltd. www.agrihealth.co.nz, phone: 0800 821 421

Batch No Mfg. date

Exp. Date



Net weight 20 kg





