PRODUCE MORE MILK OF HIGHER QUALITY WITH MASTATEST

Teat score 50 cows in early, mid, and late lactation

Healthy teat skin and teat ends reduce the risk of bacteria entering the teat canal and causing mastitis

TEAT SKIN TEAT ENDS ✓ TEAT SPRAY COVERAGE **IMPROVE** CAN N **TEAT HEALTH** TARGET: >90% supple <10% dry >80% norma <20% rough 100% full coverage 0% partial coverage Test every clinical case of mastitis 2. GIVE PAIN RELIEF 1. MARK 3. SAMPLE 4. SEPARATE 5. TREAT 6. RECORD **FIND THE BUG.** Wait 24 hours **USE THE** and treat based **RIGHT DRUGS** Clinica on Mastatest cartridae treatment KetoMax 15[%] recommendation

Test RMT positive cows in colostrum mob and highest 20 ISCC cows at each herd test

Manage cows based on Mastatest HiSCC cartridge result:

BETTER

DECISION

LACTATIO

DRYING O

DURING

N

Review herd test summary and Mastatest results

r da n	Culling: Create a preferential culling list based on clinical mastitis history, somatic cell count, DCAT history, age, production and other diseases.	Dry cow antibiotic treatment / teat sealant
NS ON AND OFF	 Culling may be appropriate for cows with: ISCC >300-500,000 at 3 or more seasonal herd tests ISCC >300- 500,000 in the previous lactation, treated with DCAT at the end of that lactation but strong RMT positive or ISCC >300-500,000 at the first herd test in the current lactation or 2 or more cases of clinical mastitis over the season 	Staph. aureus positive cows - treat long-acting DCAT If ISCC >120,000 (heifers) or 150,000 (cows) at any he the season - treat DCAT +/- ITS as recommended by If ISCC <120,000 (heifers) or 150,000 (cows) and no c treat ITS as recommended by your vet

KetoMax 15% ACVM Registration No. A11031. RVM. Available only under veterinary authorisation. DCAT = dry cow antibiotic treatment ITS = internal teat sealant ISCC = individual cow somatic cell count from herd test

Evidence based vet medicines

0800 821 421

Your results

Date	% Supple teat skin	% Normal teat ends	% Full teat spray coverage

If the cow is sick treat with

and change treatment if needed based on Mastatest result, plus 3 days of KetoMax



s clinical then re-test infected cal cartridge and treat, based

Gram negative or >20% no growth

herd test or clinical mastitis over by your vet

clinical mastitis over season -



www.agrihealth.co.nz

AgriHealth