



WARNING
Keep Out Of Reach of Children
For Animal Treatment Only

LB2287v3Yum1mp25-NZ0720

Yumamycin 1% microGranulate

Contains: 10g/kg maduramycin ammonium
Net weight: 25 kg

For use only in broiler chicken feeds for the prevention and control of coccidiosis caused by *Eimeria acervulina*, *E. brunetti*, *E. maxima*, *E. mivati*, *E. necatrix* and *E. tenella*.

Directions for use

Read label before use.

By law the user must take due care, obtaining expert advice if necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

Thoroughly mix Yumamycin 1% microGranulate into the feed at a rate of 500g/ tonne of feed, to obtain a concentration of 5g/T maduramycin ammonium in the finished feed.

Feeds containing Yumamycin should be the only ration fed to broilers to avoid dilution of the active ingredient.

Withholding Periods:

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

Meat: Nil

Eggs: Nil

Contraindications

Do not treat animals with feed supplemented with Yumamycin 1% microGranulate while receiving, or for at least SEVEN days before or after receiving feed containing tiamulin.

Do not administer to horses or other equines.

Warning: Causes mild skin irritation. Causes eye irritation. May cause damage to organs through prolonged, repeated exposure.

Precautions: Wash thoroughly after handling. Do not breathe dust. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye and face protection. Do not drink, eat or smoke when using this product.

Storage: Store locked up. Store in dry place below 25°C.

Disposal: Preferably dispose of product by use. Shake bag empty into medicated feed. Dispose of unused product and empty packaging at an approved landfill or other facility.

First Aid: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs seek medical attention or advice. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists seek medical attention or advice. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF EXPOSED or you feel unwell: contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

Registered pursuant to the ACVM Act 1997, No A011189. See www.foodsafety.govt.nz for registration conditions.

Registered to and distributed by
AgriHealth NZ Ltd.

AgriHealth

www.agrihealth.co.nz



Batch:

Expiry:

